



VEO-MAIL combines high security level, advanced features, high performance and ease of use to get the fastest, most robust, stable and secure, full featured and high performance server on the market today.

FEATURES

- ◆ **Secure your emails**
- ◆ **Firewall**
- ◆ **Anti-Spam**
- ◆ **Mail Filters**
- ◆ **Anti-Virus**
- ◆ **Backup Server** Integrated
- ◆ **Encrypted Email** Send & Receive *
- ◆ **Email Queue Server** *
- ◆ **Share Emails** with different departments, accounts
- ◆ **Categorize** your emails
- ◆ **Multi drop** versus multi guess
- ◆ **WEB Administration**
- ◆ **Aggregate multiple** external accounts in one account
- ◆ **Evaluating** envelope parts, sender, body, and recipient
- ◆ **Rejecting messages** with a rejection bounce message
- ◆ **Testing** against various labeled values from the execution environment
- ◆ Adds the ability to **Test date and time** values in various ways



VEO-MAIL



SPECIFICATIONS

Processor *	Supports Multi Intel Xeon 64-bit	I/O *	USB 2.0, RS232 Serial ports
Bus Speeds *	1333MHz, 1066MHz, 667MHz	Bays	2.5" fixed internal drive bays
Memory *	Up to 192GB ECC Dual Rank FB	Power *	115v, 230V power supplies
Dimensions *	19", U2, U4, U6, U8,	Operating Temperature	1C - 40 C
Integrated LAN *	Intel Dual Gigabit Controller	Storage Temperature	-10C - 70C
Cache *	Up to 4GB with ECC function	Relative Humidity *	5~95% no-condensation
Cache Strategy *	Write Through, Write Back	Chipset *	Intel 5520, Intel 5000P, 3W
Front Panel *	LED Indicators: Power, System Fault, HDD, NIC1, NIC2, Power Switch, Reset Switch, USB 2.0	Cooling *	2 x 3.5" blower fans, 2" fan for HDD, 2 x 2" Power supply fans
Regulatory	CE Certified (Europe) FCC / ICES-003 (Canada) UL Certified (US / Canada) EMC Certified (Canada) VCCI (Japan)	Rear Panel *	2 x PS/2, DB9 RS232 4 x USB 2.0 2 x RJ45 NIC XVGA Power inlet

* depends from the product number and specifications.

